

**To:** Forsgren, Lee[Forsgren.Lee@epa.gov]  
**Cc:** Greenwalt, Sarah[greenwalt.sarah@epa.gov]  
**From:** Zipf, Lynn  
**Sent:** Fri 2/2/2018 9:19:49 PM  
**Subject:** RE: Response to FOIA EPA-HQ-2018-002848

Thanks. I will confirm that the only responsive documents are the spreadsheets.

---

Lynn Zipf

FOIA Specialist

Office of Water

EPA East Room 3349K

(202) 564-1509

**From:** Forsgren, Lee  
**Sent:** Friday, February 02, 2018 4:15 PM  
**To:** Zipf, Lynn <Zipf.Lynn@epa.gov>  
**Cc:** Greenwalt, Sarah <greenwalt.sarah@epa.gov>  
**Subject:** RE: Response to FOIA EPA-HQ-2018-002848

Lynn,

## Ex. 5 - Deliberative Process

Regards,

Lee

**From:** Zipf, Lynn  
**Sent:** Friday, February 2, 2018 3:40 PM  
**To:** Forsgren, Lee <[Forsgren.Lee@epa.gov](mailto:Forsgren.Lee@epa.gov)>  
**Subject:** FW: Response to FOIA EPA-HQ-2018-002848

Lee – did you get a chance to look at these spreadsheets?

---

Lynn Zipf

FOIA Specialist

Office of Water

EPA East Room 3349K

(202) 564-1509

**From:** Zipf, Lynn  
**Sent:** Thursday, February 01, 2018 12:14 PM  
**To:** Forsgren, Lee <[Forsgren.Lee@epa.gov](mailto:Forsgren.Lee@epa.gov)>  
**Subject:** Response to FOIA EPA-HQ-2018-002848

EPA-HQ-2018-002848	Carl W. Thompson, Infiltrator Water Technologies	Data on UIC wells (large-capacity septic system subclass only) sorted by state for all states with available information current, 2016, 2015 and 2014.	Final Response - providing inventory and new permits data on large capacity septic systems
--------------------	--	--	--

---

Lynn Zipf

FOIA Specialist

Office of Water

EPA East Room 3349K

(202) 564-1509